

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	173	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls.) and (load with balanc\$3). ti.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:08
L2	258	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load with balanc\$3). ti.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:08
L3	3	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj balanc\$3). clm. and (arp or (address adj resolution adj protocol)).clm.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:09
L4	0	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj balanc\$3). clm. and (arp or (address adj resolution adj protocol)).clm. and (counter).clm.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:15
L5	0	@ay<"2005" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj alanc\$3).clm. and (arp or (address adj resolution adj protocol)).clm. and (counter).clm.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:15
L6	0	@ay<"2005" and (load adj alanc\$3).clm. and (arp or (address adj resolution adj protocol)).clm. and (counter).clm.	US-PGPUB; USPAT	OR	ON	2008/07/04 17:15

L7	0	@ay<"2005" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj alanc\$3) and (arp or (address adj resolution adj protocol)) and (counter)	US-PGPUB; USPAT	OR	ON	2008/07/04 17:16
L8	0	@ay<"2005" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj alanc\$3) and (arp or (address adj resolution adj protocol)) and (counter)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/07/04 17:16
L9	258	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load with balanc\$3).ti.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/07/04 17:16
L10	3	@ay<"2004" and (718/105.ccls. or 370/395.54.ccls. or 709/223,226.ccls.) and (load adj balanc\$3).clm. and (arp or (address adj resolution adj protocol)).clm.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2008/07/04 17:17
S1	376	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3).ti.	US-PGPUB; USPAT	OR	ON	2007/12/02 16:57
S2	0	@ay<"2004" and (718/105.ccls. or "709".clas.) and (load with balanc\$3).ti. and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:03
S3	9	@ay<"2004" and (718/105.ccls. or "709".clas.) and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:21

S4	1	@ay<"2004" and (718/105.cds. or "709".clas.) and (load with balanc\$3) and ((dump\$3 or empty\$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:23
S5	26	@ay<"2004" and (718/105.cds. or "709".clas.) and (load with balanc\$3).ti. and (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/02 17:24
S6	639	@ay<"2004" and (load with balanc\$3) and (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:20
S7	155	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:21
S8	104	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach \$3 or dump\$3 or buffer \$3 or stor\$3))	US-PGPUB; USPAT	OR	ON	2007/12/10 18:22

S9	43	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach \$3 or dump\$3 or buffer \$3 or stor\$3)) and threshold	US-PGPUB; USPAT	OR	ON	2007/12/10 18:24
S10	24	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach \$3 or dump\$3 or buffer \$3 or stor\$3)) and threshold and "709". clas.	US-PGPUB; USPAT	OR	ON	2007/12/10 18:26
S11	0	@ay<"2004" and (load with balanc\$3) and ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))) and ((determin\$3 or consider\$3 or filter\$3 or calculat\$3 or formulat\$3) with (cach \$3 or dump\$3 or buffer \$3 or stor\$3)) and threshold and 709.223/224.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/10 19:13
S12	4	@ay<"2004" and ((load with balanc\$3) with ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/10 19:18

S13	6	((load with balanc\$3) with ((dump\$3 or cach \$3 or buffer\$3 or stor \$3) with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/17 22:13
S14	2	("6912534" "5664106").pn.	US-PGPUB; USPAT	OR	ON	2007/12/18 13:29
S15	7	("5724510" "5920699" "5909549" "6182136" "5596703" "5455952").pn. "20030033402"	US-PGPUB; USPAT	OR	ON	2007/12/18 18:13
S16	75	(balanc\$3 with (arp or (address adj resolution adj protocol)))	US-PGPUB; USPAT	OR	ON	2007/12/18 19:07
S17	21	(balanc\$3 with (arp or (address adj resolution adj protocol))) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/12/18 19:08
S18	3	(balanc\$3 with (arp or (address adj resolution adj protocol))) and "709".clas. and threshold	US-PGPUB; USPAT	OR	ON	2007/12/18 19:10
S19	963	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3))	US-PGPUB; USPAT	OR	ON	2007/12/31 22:52
S20	397	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19
S21	92	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load adj balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19

S22	92	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3)	US-PGPUB; USPAT	OR	ON	2007/12/31 23:19
S23	30	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and counter	US-PGPUB; USPAT	OR	ON	2007/12/31 23:34
S24	0	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and counter and ((load or balanc\$3) with (threshold or ((set or predetermined) adj value)))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:37
S25	1	@ay<"2004" and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) and "709".clas. and (load near balanc\$3) and ((load or balanc\$3) with (threshold or ((set or predetermined) adj value)))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:37

S26	0	@ay<"2004" and "709".clas. and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and ((load or balanc \$3) with (threshold or ((set or predetermined) adj value)))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:38
S27	3	@ay<"2004" and "709".clas. and ((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:39
S28	4	((arp or (address adj resolution adj protocol)) with (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:55
S29	5	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:56
S30	2	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold or ((set or predetermined) adj value)) and (counter or increment\$3)	US-PGPUB; USPAT	OR	ON	2007/12/31 23:57

S31	2	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold) and (counter or increment \$3))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:57
S32	0	((arp or (address adj resolution adj protocol)) same (cach \$3 or buffer\$3 or stor \$3 or sav\$3)) same (load near balanc\$3) and (threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2007/12/31 23:59
S33	1	(load near balanc\$3) and (threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:02
S34	2	(threshold) and (counter or increment \$3) and (dump\$3 with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:02
S35	4	(dump\$3 with (arp or (address adj resolution adj protocol))))	US-PGPUB; USPAT	OR	ON	2008/01/01 00:06

7/ 4/ 08 5:23:07 PM

C:\Documents and Settings\achoudhury\My Documents\EAST\Workspaces  
\azizul10821053.wsp